

Division 11 – Equipment

11.1. General

- a. The user program will identify which equipment is to be specified as part of the general contract and which equipment is to be provided by the University. Refer to **APPENDIX AB – OFOI CFCI MASTER LIST** as a reference for this discussion and to confirm what is to be provided by the General Contractor.
- b. The A/E shall coordinate with the ODU Project Manager to obtain a list of all University provided moveable equipment. The A/E shall be responsible for specifying all electrical and mechanical connections for University provided equipment to make such equipment functional upon occupancy. Moveable equipment will be specified by the University unless specifically included in the A/E's scope of work.
- c. The A/E shall specify all fixed equipment as required to respond to the program. Where applicable, the ODU Project Manager will advise the A/E of experience with specific types and manufacturers.
- d. Submittals on all A/E specified equipment shall include rough-in drawings.
- e. The A/E shall consider all aspects of equipment installation including receiving, unloading, and installation when designing the building to ensure that equipment can be transported to, and installed in, the appropriate final location.
- f. All equipment specified by the A/E with "or equals" must have the same MEP and space requirements. If an "or equal" is listed the A/E must provide model numbers to assure the manufacture has equal equipment. DO NOT provide approved manufacturers only.

11.2. Parking Control Equipment (Reserved)

from fabric-reinforced

m), Horizontal Style: 10 inches (250 mm) high by 24 inches

11.7. Library Stack Systems